

Spare parts list


(1.533-170.0) BD 50/40 RS Bp

Table of contents

BD 50/40 RS Bp (1.533-170.0)	3
Spare parts list BD 50/40 RS Bp (5.972-752.0)	4
210 Steering complete B 40 RS	7
250 Drive unit complete above B 40 RS	9
260 Suction bar BD 50/40 (4.062-048.0)	12
30 Wheel complete (4.062-093.0)	14
270 Brush-head complete D 50 RS	16
300 Bracket hinge complete	19
310 Labelling kit B 40 RS	21
10 Label with clamp signet XL (4.385-004.0)	23
20 Label with clamp Logo XL (4.385-001.0)	24
320 Electric equipment BD40RS Bp	26
330 Control panel complete BD 50/40 RS	27
30 Key switch (6.630-106.0)	30
270 Main Board cpl. (4.683-426.0)	32
380 Handhold operational concept complete (4.035-608.0)	33
500 Cable harness B40 RS TVS Diode (4.823-278.0)	35
410 Housing complete B 40 RS	36
420 Frame complete only for replacement B 40 RS (4.062-036.3)	38
430 Footstep unit complete B 40 RS	40
440 Control console complete B 40 RS	42
450 Tank fresh water complete BD 50/40 RS	44
480 Transmission complete B 40 RS	47
500 Cable set battery Bp B40RS	49
510 Drive unit complete B 40 RS	50
400 Add-on kit Traktion für B40 RS (8.635-722.0)	52
410 Cable brake set (8.636-429.0)	54
600 Battery quick-charge set II 36V/58Ah (2.642-555.0)	56
630 Battery charger complete B 40 RS	58
140 Holder plug battery charger (5.062-766.0)	60
630 Battery charger complete B 40 RS	61
140 Holder plug battery charger (5.062-766.0)	63
650 Add-on kit Traktion für B40 RS (8.635-722.0)	64
660 Cable brake set (8.636-429.0)	66

BD 50/40 RS Bp (1.533-170.0)

POS	Article no.	Description	Quantity	Unit
0	5.972-752.0	Spare parts list BD 50/40 RS Bp	1	PC
360		Documentation B 40 RS	1	PC




Spare parts list BD 50/40 RS Bp (5.972-752.0)

POS	Article no.	Description	Quantity	Unit	Remark
100	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	4	PC	
210		Steering complete B 40 RS	1	PC	
250		Drive unit complete above B 40 RS	1	PC	
260	4.062-048.0	Suction bar BD 50/40	1	PC	
270		Brush-head complete D 50 RS	1	PC	
300		Bracket hinge complete	1	PC	
310		Labelling kit B 40 RS	1	PC	
320		Electric equipment BD40RS Bp	1	PC	
330		Control panel complete BD 50/40 RS	1	PC	
340	8.600-042.0	Brush	1	PC	
340	8.600-043.0	BRUSH, 20" NYLON SD U19985	1	PC	
340	8.628-387.0	BRUSH, 20" NYLON POLISH SD	1	PC	
410		Housing complete B 40 RS	1	PC	
420	4.062-036.3	Frame complete only for replacement B 40 RS	1	PC	
430		Footstep unit complete B 40 RS	1	PC	
440		Control console complete B 40 RS	1	PC	
450		Tank fresh water complete BD 50/40 RS	1	PC	
480		Transmission complete B 40 RS	1	PC	
500	4.036-106.0	Cable set battery Bp	1	PC	
500		Cable set battery Bp B40RS	1	PC	Hoppecke
510		Drive unit complete B 40 RS	1	PC	
600	2.642-555.0	Battery quick-charge set II 36V/58Ah	1	PC	
610	4.642-016.0	Distance holder set II	1	PC	
620	6.371-240.0	Diamond pad green set 5x Ø508	1	PC	
620	6.371-260.0	Diamond pad white set 5x Ø508	1	PC	
620	6.371-261.0	Diamond pad yellow set 5x Ø508	1	PC	
630		Battery charger complete B 40 RS	1	PC	Exide
630		Battery charger complete B 40 RS	1	PC	Hoppecke
640	8.633-397.0	Rotary switch	1	PC	
650	8.635-722.0	Add-on kit Traktion für B40 RS	1	PC	
660	8.636-429.0	Cable brake set	1	PC	
670	9.840-996.0	Cable earthing	1	PC	
9530	2.815-103.0	Battery kit Gel 3x 12V/76Ah	1	SET	


Spare parts list BD 50/40 RS Bp (5.972-752.0)

POS	Article no.	Description	Quantity	Unit	Remark
9540	2.815-097.0	Battery kit AGM 3x 12V/80Ah	1	SET	
9550	2.643-942.0	Conversion kit BR40RS -> BD40RS	1	PC	



210 Steering complete B 40 RS

POS	Article no.	Description	Quantity	Unit
10	7.311-015.0	Hexagon nut M18x1,5-04-A2E ISO 8675	1	PC
20	7.312-021.0	Washer 18-140HV-A2K DIN 125-1	1	PC
30	6.435-795.0	Steering wheel	1	PC
50	5.110-358.0	Sleeve	1	PC
60	4.062-089.0	Steering pillar complete B 40 RS	1	PC
70	6.640-353.0	Cap steering wheel KÄRCHER	1	PC




250 Drive unit complete above B 40 RS

POS	Article no.	Description	Quantity	Unit
10	8.601-444.0	BEARING DRIVE	1	PC
20	8.622-427.0	SLEEVE, CHAIN TENSIONER	1	PC
40	8.632-088.3	ACT, 36VDC, 3.0" STK, 8.74 LNG	1	PC
60	8.633-072.0	CHAIN TENSIONNER	1	PC
70	7.312-287.0	Washer 12-200HV-A2E ISO7093-1	1	PC
80	7.312-285.0	Washer 10-200HV-A2E ISO 7093-1	1	PC
90	7.313-003.0	Spring washer B 6-FSt-A3E DIN 127	1	PC
100	7.312-017.0	Washer 8-A2 ISO 7089	6	PC
130	8.600-865.0	PIN, COTTER RING 1/4 X .041 X .844	2	PC
140	8.631-956.0	CHAIN, ISO 08B, 12.7MM PITCH	1	PC
150	7.303-230.0	Saucer-head screw M8x20 -8.8-A2E DIN 603	4	PC
160	7.306-228.0	Cylinder head screw M10x30 -A2-70 ISO 4	1	PC
170	7.306-394.0	Screw M5x12 -8.8-ZNBHL ISO 14583	2	PC
180	7.306-138.0	Screw M6x60 -8.8-R3R (In6Rd)	3	PC
190	7.306-133.0	Screw M6x50 -8.8-R3R (In6Rd)	4	PC
200	7.311-524.0	Hexagon nut M10-A2-70 ISO 7040	1	PC
210	7.311-022.0	Hexagon nut M 6-A2-70 ISO 7040	3	PC
230	7.311-200.0	Hexagon nut M6 -04-A2E ISO 4035	3	PC
240	7.311-514.0	Hexagon nut M 8-A2-70 ISO 7040	6	PC
260	8.632-203.0	Spacer	3	PC
270	8.632-206.0	COLLAR, 12MM ID	1	PC
290	8.632-805.0	BUSHING, .480 X 1.25 X .485 FLG	2	PC
300	5.062-562.0	Hexagon nut M6x22 - 1.4305	1	PC
310	4.062-000.0	Sheet metal component	1	PC
320	4.062-016.0	Sheet metal component	1	PC
330	4.062-056.3	Sheet metal component clamp bottom packed	1	PC
340	5.062-467.0	Plate bottom	1	PC
350	5.062-473.0	Retaining plate	1	PC
360	5.062-540.0	Holder	1	PC
370	5.062-474.0	Gear wheel	1	PC
380	5.062-590.0	Bar steering	1	PC
390	7.316-063.0	Bolt B-6x60x55-1.4301 ISO 2341	2	PC
440	7.311-541.0	Hexagon nut M 6 -8-A2E EN 1661	1	PC


250 Drive unit complete above B 40 RS

POS	Article no.	Description	Quantity	Unit
480	8.634-224.0	SPACER, .81 X 1.06 X .125	1	PC
500	8.635-475.0	WASHER, .264 X 1 X .07 NYL BLK	2	PC
520	8.636-860.0	X-REF TO 8.632-656.0 8/16	1	PC
530	8.627-942.0	WASHER, .765 X 1.25 X .08 FLT NYL	2	PC
540	7.312-292.0	Washer 6 -A2 ISO 7093-1	7	PC
600	8.623-278.0	Chain MASTERLINK 12.7MM	1	PC




260 Suction bar BD 50/40 (4.062-048.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	8.601-102.0	Wheel 3" DIA CUSHION RUBBER	2	PC	
20	6.310-066.0	Star grip M 8	4	PC	
30	4.062-093.0	Wheel complete	2	PC	
40	8.600-135.0	BUSHING, SPANNER .435 X 1.10	2	PC	
70	7.311-022.0	Hexagon nut M 6-A2-70 ISO 7040	4	PC	
80	7.311-432.0	Hexagon nut M8-1.4305 DIN 985	2	PC	
90	8.627-124.0	NUT, 1/4 PAL STL ZNPLT	2	PC	
100	7.312-052.0	Washer 5 -A2 ISO 7089	2	PC	
110	7.304-460.0	Hexagonal head screw M5x16-A4-70 ISO 4017	1	PC	
120	7.311-431.0	Hexagon nut M5-1.4305 DIN 985	1	PC	
130	8.600-580.0	NUT, 3/8-24 HEXTHIN STL GRA ZNPLT	1	PC	
140	7.312-266.0	Washer 6-A2 ISO 7094	4	PC	
150	7.312-269.0	Washer 10-A2 ISO 7094	1	PC	
160	8.632-646.0	CASTER, 1-5/8, 3/8-24 SHT STUD, MTG51	1	PC	
170	8.632-651.0	PIVOT, SHAFT, LATCH	1	PC	
180	7.303-233.0	Saucer-head screw M6x60 -St-A0P DIN 603	4	PC	
190	7.304-262.0	Hexagonal head screw M8x60-A4-70 ISO 40	2	PC	
200	7.303-189.0	Saucer-head screw M8x70-A2 DIN 603	4	PC	
210	5.062-482.0	Sheet metal component	1	PC	
220	5.062-480.0	Sheet metal component locking part	1	PC	
230	5.062-481.0	Sheet metal component	2	PC	
240	7.312-017.0	Washer 8-A2 ISO 7089	4	PC	
250	5.062-483.0	Plate	1	PC	
260	5.062-541.3	Plate packaged	6	PC	
270	4.062-027.0	Sheet metal component complete	1	PC	
280	8.633-206.0	NUT, 5/16-18 X .602 FLG STL ZNPLT	4	PC	
290	5.062-542.3	Sheet metal component packaged	2	PC	
300	8.632-642.0	Moulded part rubber	1	PC	
310	8.640-375.0	KIT, SQUEEGEE BLADES, CS20, URTN	1	PC	OIL RESISTANT
310	8.640-378.0	KIT, SQUEEGEE BLADES, CS20	1	PC	STANDARD
330	8.632-072.0	COVER, SQUEEGEE-LH	1	PC	
340	8.632-073.0	COVER, SQUEEGEE-RH	1	PC	



30 Wheel complete (4.062-093.0)

POS	Article no.	Description	Quantity	Unit
20	8.600-627.0	PIN, CLEVIS 5/16 X 1.625 STL ZNPLT	1	PC
30	8.600-866.0	Cotter 5/16" RING	1	PC




270 Brush-head complete D 50 RS

POS	Article no.	Description	Quantity	Unit
10	8.633-197.0	MOTOR ASM, BRUSH	1	PC
20	8.600-342.0	DRIVER, BRUSH SD	1	PC
30	8.632-656.0	WASHER, 1.28 X 2.28 X .12 NYL	1	PC
40	7.304-516.0	Hexagonal head screw M8x20-A4-70 ISO 40	2	PC
50	8.632-862.0	SCREW, 5/16-18 X .5 HHCS NYL BLK	1	PC
60	8.622-230.0	NUT, 5/16-18 HEXTHIN SS	1	PC
70	7.306-230.0	Screw M8x25 -A4-70 (In6Rd)	3	PC
80	7.304-537.0	Hexagonal head screw M 8x30-A4-70 ISO 4	1	PC
90	8.633-099.0	WASHER, 5/16 INTLK SS	5	PC
100		TERM, 18G .25 X.032 F/I 90DEG	2	PC
110	7.312-045.0	Washer 6-200HV-P4E ISO 7089	2	PC
120	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	2	PC
130	7.312-292.0	Washer 6 -A2 ISO 7093-1	2	PC
140	7.303-203.0	Saucer-head screw M8x25 -A2 DIN 603	6	PC
150	6.437-531.0	Bush 520895	8	PC
160	8.601-067.0	WASHER, 5/16 FLT SS	14	PC
170	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	4	PC
180	7.304-805.0	Hexagonal head screw M 6x50-A4-70 ISO 4	1	PC
190	7.311-514.0	Hexagon nut M 8-A2-70 ISO 7040	8	PC
200	7.311-432.0	Hexagon nut M8-1.4305 DIN 985	4	PC
220	7.312-021.0	Washer 18-140HV-A2K DIN 125-1	1	PC
230	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	1	PC
240	7.313-004.0	Spring washer B 8-FSt-A3E DIN 127	1	PC
250	7.304-400.0	Hexagonal head screw M 8x30-8.8-A2E ISO	2	PC
260	4.062-022.0	Engine holder complete brush-head	1	PC
270	4.062-023.0	Retaining plate above left	1	PC
280	4.062-024.0	Retaining plate bottom left	1	PC
290	8.632-655.0	SUPPORT PLATE, SHROUD	1	PC
300	8.632-654.0	BRIDGE BRKT, DECK LIFT	1	PC
310	8.632-822.0	FLEXIBLE STRIP BRUSH, 20" SKIRT	1	PC
320	4.062-025.0	Retaining plate above right	1	PC
330	4.062-026.0	Retaining plate bottom right	1	PC
340	8.632-770.0	SHOULDER BOLT, 5/16 X .625 SS	2	PC


270 Brush-head complete D 50 RS

POS	Article no.	Description	Quantity	Unit
350	4.062-019.0	Retaining plate	1	PC
360	8.633-134.0	BREATHER VENT, 10-32 THREAD	1	PC
370	8.633-501.0	LABEL, HANDS CLEAR ICON, RND	1	PC
380	5.115-650.0	Washer	1	PC
390	7.303-097.0	Screw 5x12-10.9-R2R (K-In6Rd)	1	PC
400	8.633-844.0	SPACER, .41 ID X .73 OD X .105T	1	PC
410	8.631-980.0	SHROUD, 20" SCRUB DECK	1	PC
420	8.631-982.0	PIVOT, SQUEEGEE LINKAGE	1	PC
430	8.632-043.0	20" BRUSH SKIRT	1	PC
440	8.632-448.0	ACCESS COVER, BRUSH RELEASE	1	PC
450	8.632-520.0	Bushing, 30mm, BRNZ	1	PC



300 Bracket hinge complete

POS	Article no.	Description	Quantity	Unit
10	8.632-634.0	PIN, CLEVIS 5/16 X 4 STL ZNPLT	1	PC
20	6.645-494.0	Lock washer	1	PC
30	8.632-768.0	SWITCH, INTERLOCK	1	PC
50	7.304-516.0	Hexagonal head screw M8x20-A4-70 ISO 40	6	PC
60	7.312-017.0	Washer 8-A2 ISO 7089	6	PC
70	7.306-183.0	Screw M5x20 -A2-70 (In6Rd)	1	PC
71	7.312-041.0	Serrated lock washer A5,3-1.4310 DIN 67	1	PC
80	6.437-531.0	Bush 520895	2	PC
100	4.062-018.0	Holder hinge above	1	PC
110	4.062-021.0	Holder hinge bottom	1	PC
120	7.311-203.0	Hexagon nut M5 -A4-035 ISO 4035	1	PC
140	5.633-199.0	Seal	1	PC
150	8.633-277.0	GASKET, HINGE BRACKET	2	PC
160	7.306-394.0	Screw M5x12 -8.8-ZNBHL ISO 14583	2	PC
170	6.594-709.0	Cable tie	6	PC




310 Labelling kit B 40 RS

POS	Article no.	Description	Quantity	Unit	Foot note text
10	4.385-004.0	Label with clamp signet XL	1	PC	VERSION 2
10	5.394-081.0	Label signet gel 78x86	1	PC	VERSION 1
20	4.385-001.0	Label with clamp Logo XL	1	PC	VERSION 2
20	8.633-502.0	LABEL, AKW, SIDE	2	PC	VERSION 1
50	8.624-430.0	Warning sign tank	1	PC	
60	8.624-431.0	Warning sign security	1	PC	
70	8.625-252.0	SAFETY DECAL, BATTERY CAUTION	1	PC	
80	8.633-571.0	Label battery	1	PC	
90	5.392-924.0	Label service	1	PC	

10 Label with clamp signet XL (4.385-004.0)

POS	Article no.	Description	Quantity	Unit
1	6.385-523.0	Clamp	5	PC




20 Label with clamp Logo XL (4.385-001.0)

POS	Article no.	Description	Quantity	Unit
1	6.385-523.0	Clamp	5	PC

320 Electric equipment BD40RS Bp

POS	Article no.	Description	Quantity	Unit
10	6.683-658.0	Cable platform DT04-6P	1	PC
20	4.823-058.0	Cable harness control panel outlet Bp	1	PC
50	6.683-661.0	Cable brake bottom	1	PC




330 Control panel complete BD 50/40 RS

POS	Article no.	Description	Quantity	Unit
10	6.600-114.0	Switch	1	PC
20	6.600-344.0	Pushbutton emergency stop	1	PC
30	6.630-106.0	Key switch	1	PC
40	8.600-126.0	BOOT, CB 3/8-32 UNS	1	PC
50	8.600-341.0	Diode ASM, 76075 X 76075	2	PC
60	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	2	PC
70	7.311-425.0	Hexagon nut M6-04-A2E DIN 985	4	PC
80	7.307-418.0	Threaded pin M6x35 -St-45H-A2E ISO 4026	1	PC
90	7.312-045.0	Washer 6-200HV-P4E ISO 7089	4	PC
100	8.635-368.0	BREAKER, 1.5A CARLING MAGNETIC	1	PC
110	8.625-136.0	Relay 36VDC 100A	2	PC
120	8.632-639.0	CONN, 8MM PITCH, 10 POS	2	PC
130	6.316-001.0	Distance pin plastics M3x16	8	PC
140	6.652-023.0	Isolator	1	PC
150	8.626-121.0	DIODE ASM, 76008 X 76008	2	PC
160	7.306-262.0	Screw M3x30 -A2-70 ISO 7380-1	2	PC
170	7.306-204.0	Screw M 3X 10-A2-70 (IN6RD)	4	PC
180	8.629-278.0	SWITCH, MICRO	1	PC
190	8.629-520.0	ASM, BUTTON, BLACK, W/BEZEL	1	PC
200	8.631-390.0	RELAY, 5A, 24V, 4PDT	3	PC
210	8.631-395.0	SWITCH, SPDT 3 POSN MOM, ARROW	1	PC
230	8.631-547.0	METER, HOUR ICD	1	PC
240	8.623-008.0	BREAKER, 22A 250VAC, 50VDC	1	PC
260	8.633-251.0	BOOT, SEAL PUSH BUTTON 11MM	2	PC
270	4.683-426.0	Main Board cpl.	1	PC
280	8.634-896.0	LED , BATTERY INDICATOR	1	PC
290	8.633-610.0	Clip relay	3	PC
300	8.633-611.0	Relay two-pole	1	PC
310	5.035-962.0	Sleeve	4	PC
330	8.631-616.0	BREAKER, 18A, 250VAC, 32VDC	1	PC
360	8.636-220.0	Controller B 40 RS RE	1	PC
370	6.316-002.0	Distance pin plastics M3x30	4	PC
380	4.035-608.0	Handhold operational concept complete	1	PC

330 Control panel complete BD 50/40 RS

POS	Article no.	Description	Quantity	Unit
390	8.635-807.0	LABEL, CONTROL PANEL B40RS	1	PC
400	4.062-062.0	Plate control panel complete B 40 RS	1	PC
410	8.635-487.0	SWITCH, ROTARY	1	PC
420	6.363-530.0	O-Ring seal 4,0x1,5 EPDM	2	PC
430	7.305-036.0	Countersunk screw M4x12 -A2-70-s (IN6RD	2	PC
460	8.635-481.0	GASKET, ROTARY SWITCH	1	PC
470	8.635-456.0	BEZEL, ROTARY SWITCH	1	PC
480	7.306-051.0	Screw M3x6 -8.8-A2K (In6Rd)	4	PC
490	8.635-444.0	PCB, iSCRUB, PIC	1	PC
500	4.823-278.0	Cable harness B40 RS TVS Diode	1	PC
510	8.635-438.0	HARNESS, ROTARY SWITCH	1	PC
520	8.635-231.0	HARNESS, I-DRIVE GND	1	PC




30 Key switch (6.630-106.0)

POS	Article no.	Description	Quantity	Unit
9000	6.600-210.0	Key only for replacement	1	PC
9010		Nut plastics 9252-BK	1	PC
9020		Housing key switch 6850-22	1	PC

270 Main Board cpl. (4.683-426.0)

POS	Article no.	Description	Quantity	Unit
20	6.664-005.0	Diode	2	PC




380 Handhold operational concept complete (4.035-608.0)

POS	Article no.	Description	Quantity	Unit
20	6.313-014.0	Spring element	1	PC


500 Cable harness B40 RS TVS Diode (4.823-278.0)

POS	Article no.	Description	Quantity	Unit
20	6.664-005.0	Diode	2	PC




410 Housing complete B 40 RS

POS	Article no.	Description	Quantity	Unit	Foot note text
10	6.388-713.0	Hose clip	2	PC	
20	8.616-180.0	Snap fastener	1	PC	
30	7.303-129.0	Screw 4x16-10.9-R2R (K-In6Rd)	2	PC	
40	8.617-333.0	WASHER, M5 SS ISO7093	10	PC	
50	5.037-806.0	Cage float worked 2 balls	1	PC	
60	8.631-292.0	GASKET, VAC MOTOR	1	PC	
70	8.632-620.0	GASKET, VACUUM INTAKE	1	PC	
80	6.373-656.0	Pipe clamp D40	2	PC	
90	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	11	PC	
100	8.632-759.0	LANYARD, 15.0 W/LOOP & EYE	1	PC	
110	6.273-196.0	Seal string cellular rubber	0,725	m	
120	6.366-043.0	Sealing profile	1	m	TO ORDER AS CUT GOODS
130	7.303-105.0	Screw 5x25 -A2-70-bk (In6Rd)	3	PC	
140	8.632-802.0	HOSE ASM, 1.25 ID X 14.0, 4:1	1	PC	
150	5.062-490.0	Bracket	2	PC	
160	8.633-470.0	DRAIN HOSE, CMPS, YLW	1	PC	
170	5.062-513.0	Bracket	1	PC	
180	8.633-420.0	TANK, RECOVERY, BLK	1	PC	
190	7.311-514.0	Hexagon nut M 8-A2-70 ISO 7040	1	PC	
200	7.312-017.0	Washer 8-A2 ISO 7089	1	PC	
210	8.600-765.0	SPACER, .317 X .438 X .25	1	PC	
220	7.306-230.0	Screw M8x25 -A4-70 (In6Rd)	1	PC	
230	8.634-472.0	PANEL, BACK B40RS BLK TRIM	1	PC	
240	8.631-821.0	Intake duct turbine	1	PC	
250	8.633-422.0	FRAME, VACUUM MOTOR, BLK	1	PC	
260	5.012-431.0	Joint ring silicon	5	PC	




420 Frame complete only for replacement B 40 RS (4.062-036.3)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	7.343-040.0	Locking ring 20x1,2 -St-ph DIN 471	2	PC	
20	4.062-091.0	Rear wheel set B40RS	1	PC	VERSION 2
20	4.062-091.0	Rear wheel set B40RS	1	PC	VERSION 1
30	8.631-803.0	AXLE, 20MM X 562MM	1	PC	
40	7.312-018.0	Washer 20-200HV-A3E ISO 7090	4	PC	VERSION 2
40	8.632-622.0	SPACER, FLG, .887ID X 1.055OD X .345LG	2	PC	VERSION 1
45	5.515-253.0	Seal D34	2	PC	VERSION 2
60	5.062-478.0	Holder frame right	1	PC	
70	5.062-479.0	Holder frame left	1	PC	
80	8.633-246.0	LANYARD ASSY, COILED CABLE	2	PC	
90	7.312-289.0	Washer 8-A2 ISO 7093-1	2	PC	
100	7.303-009.0	Saucer-head screw M8x50 -8.8-A2E DIN 603	2	PC	
110	8.633-425.0	FRAME, BLK	1	PC	
120	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	2	PC	




430 Footstep unit complete B 40 RS

POS	Article no.	Description	Quantity	Unit
10	8.600-711.0	Switch 25A SPST 125-250V SNAP	1	PC
20	7.303-274.0	Screw 5x12 -A2-70 (In6Rd)	11	PC
30	7.312-282.0	Washer 5-A2 ISO 7093-1	12	PC
40	6.373-343.0	Pipe clamp D 6	9	PC
50	8.625-497.0	SPRING, COMP 18MMOD X 83 X 2	3	PC
60	6.649-038.0	Cable tie 2,5x100	1	PC
70	8.631-156.0	POTENTIOMETER ASM, LINEAR	1	PC
80	8.632-614.0	PIN, DOWEL 1/4 X 2.75 STL	1	PC
90	5.062-477.0	Holder	1	PC
100	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	7	PC
110	7.303-105.0	Screw 5x25 -A2-70-bk (In6Rd)	4	PC
120	8.633-423.0	Moulded part black	1	PC
130	8.633-424.0	PEDAL, HEEL, BLK	1	PC
140	8.633-469.0	PEDAL, ACCELERATOR, YEL	1	PC



440 Control console complete B 40 RS

POS	Article no.	Description	Quantity	Unit
10	7.303-105.0	Screw 5x25 -A2-70-bk (In6Rd)	2	PC
20	7.312-282.0	Washer 5-A2 ISO 7093-1	2	PC
30	6.490-197.3	Turbine 2-level 36V 650W (CCL)	1	PC
40	5.250-006.0	Bearing	2	PC
50	8.623-972.0	HORN, 108DB MINATURE W/RING	1	PC
60	6.649-038.0	Cable tie 2,5x100	2	PC
70	7.311-425.0	Hexagon nut M6-04-A2E DIN 985	3	PC
80	7.303-190.0	Saucer-head screw M6x35-ST-A0P DIN 603	1	PC
90	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	3	PC
100	8.631-798.0	DOME	1	PC
110	6.339-001.0	Rubber buffer 2xM6 D20 H25	3	PC
120	8.632-760.0	GASKET, DOME	1	PC
130	8.632-783.0	GASKET,.188X.31X41.0	1	PC
140	5.035-049.0	Control console B 40 RS	1	PC
150	8.633-501.0	LABEL, HANDS CLEAR ICON, RND	1	PC
160	8.630-262.0	Foamed material 1 X 1 X 20	1	PC
190	6.594-709.0	Cable tie	1	PC
200	7.312-291.0	Washer 6-200HV-P2R ISO 7093-1	2	PC




450 Tank fresh water complete BD 50/40 RS

POS	Article no.	Description	Quantity	Unit
10	5.064-389.0	Cover	1	PC
20	6.465-031.0	Connection 3/4	1	PC
30	6.632-439.3	Float regulator filling system	1	PC
40	6.388-713.0	Hose clip	1	PC
50	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	3	PC
60	8.600-797.0	Strainer 3/8 IN. NPT 60 MESH	1	PC
70	8.636-261.0	VALVE, 36V DC SOLENOID	1	PC
80	7.312-017.0	Washer 8-A2 ISO 7089	2	PC
90	8.623-279.0	CHAIN,ASM, #10SS BD X 8"	1	PC
100	7.373-025.0	Hose clip A 20-32x9-W4 DIN3017	3	PC
110	7.311-516.0	Hexagon nut M4-A2-70 DIN 985	2	PC
120	7.373-017.0	Hose clip A-8-12x9 -W4 DIN3017-1	4	PC
130	7.306-211.0	Screw M 4x25-A2-70 (IN6RD)	5	PC
140	7.304-394.0	Hexagonal head screw M8x12 -8.8-A2E ISO	2	PC
150	7.303-336.0	Countersunk screw 5x16 -10.9-P3R (In6Rd)	5	PC
160	7.312-067.0	Washer 4-A2 ISO 7089	1	PC
170	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	1	PC
180	8.632-127.0	HOSE, 3/8 ID WIRE BOUND X 18"	1	PC
190	8.631-416.0	COVER, FILLPORT 4"	1	PC
200	8.631-761.0	GASKET, 5.5 ODX4.5 IDX.06W/PSA	1	PC
210	8.631-762.0	FLANGE, WITH O-RING	1	PC
220	4.062-020.0	Bracket tank	1	PC
230	6.395-163.3	Angle bushing G1-2	1	PC
240	8.632-662.0	HOSE, 3/4ID X .12W X 20"LG, CLR	1	PC
250	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	1	PC
260	8.632-802.0	HOSE ASM, 1.25 ID X 14.0, 4:1	1	PC
270	4.035-581.0	Clean water tank complete B 40 RS	1	PC
280	8.633-452.0	WASHER, RUBBER 1.125ID X 1.63OD X .125	1	PC
300	7.305-037.0	Countersunk screw M4x30-A2-70 (IN6RD)	1	PC
310	8.632-391.0	VACUUM TUBE, SQUEEGEE	1	PC
320	6.386-587.0	Elbow connector 3/8"	1	PC
321	6.464-937.0	Ball valve 3/8" AG-IG-DVGW	1	PC
322	6.388-496.0	Angle bushing	1	PC

450 Tank fresh water complete BD 50/40 RS

POS	Article no.	Description	Quantity	Unit
330	5.515-253.0	Seal D34	1	PC
340	8.634-772.0	WASHER, 1.062 X 1.50 X .062 HDPE BLK	1	PC
350	8.634-773.0	WASHER, 1.062 X 1.50 X .031, EPDM	1	PC




480 Transmission complete B 40 RS

POS	Article no.	Description	Quantity	Unit
20	7.312-017.0	Washer 8-A2 ISO 7089	20	PC
30	6.373-621.0	Clamp 15/12	1	PC
40	7.311-514.0	Hexagon nut M 8-A2-70 ISO 7040	18	PC
60	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	1	PC
70	7.303-203.0	Saucer-head screw M8x25 -A2 DIN 603	10	PC
80	7.303-009.0	Saucer-head screw M8x50 -8.8-A2E DIN 603	8	PC
90	7.304-504.0	Hexagonal head screw M8x50-A2-70 ISO 40	2	PC
100	5.062-466.0	Sheet metal component left	1	PC
120	5.062-476.0	Sheet metal component right	1	PC
130	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	4	PC
140	8.632-934.0	Plate protection	1	PC
150	4.062-030.0	Sheet metal component	1	PC
160	5.035-050.0	Bumper B 40 RS	1	PC
190	7.312-260.0	Washer 6 -100HV-A3E ISO 7094	1	PC
200	8.632-395.0	PAD TIP	2	PC


500 Cable set battery Bp B40RS

POS	Article no.	Description	Quantity	Unit
10	8.632-971.0	Cable battery	1	PC
20	6.651-903.0	Cable battery 25 mm ² . 320mm	2	PC




510 Drive unit complete B 40 RS

POS	Article no.	Description	Quantity	Unit
10	8.600-103.0	BEARING, 3/4 SPH BALL	2	PC
20	8.600-861.0	Flanged bearing PRESS STEEL	4	PC
30	8.600-866.0	Cotter 5/16" RING	3	PC
40	7.312-017.0	Washer 8-A2 ISO 7089	4	PC
50	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	3	PC
60	8.621-964.0	KEY, 1/4 X 1/4 X 1.5 LCSTL GR1018	1	PC
70	8.631-981.3	Axle drive wheel packaged	1	PC
80	7.311-514.0	Hexagon nut M 8-A2-70 ISO 7040	4	PC
90	6.343-129.0	Lock washer	1	PC
100	8.627-255.0	PIN, CLEVIS 5/16 X 1 STL ZNPLT	3	PC
110	8.631-967.0	SLEEVE, BEARING	6	PC
120	7.303-203.0	Saucer-head screw M8x25 -A2 DIN 603	4	PC
140	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	3	PC
150	8.636-917.0	Wheel 8.00 x 2.00, GRAY X-GRV	1	PC
160	4.062-017.0	Frame transmission	1	PC
170	8.631-964.0	CHAIN, ISO 08B, 12.7MM PITCH	1	PC
180	8.631-965.0	SPROCKET, DRIVE, 14T	2	PC
190	8.636-401.3	MOTOR, TRACTION	1	PC
200	5.062-472.0	Washer wheel spacer	2	PC
210	8.632-671.0	KEY, 5 X 5 X 16MM CS GR1045	1	PC
220	8.633-238.0	ROLLER, 1.1 OD	3	PC
230	5.062-509.0	Retaining plate	1	PC
240	8.633-499.0	Label on/off	1	PC
250	6.997-190.0	Cable tie 775MM	1	PC
260	6.649-002.0	Cable tie	2	PC
270	8.636-204.0	TAPE CLOSED CELL 1/8 X 3/4 X 2 1/2 PSA	2	PC
280	7.311-060.0	Hexagon nut M 8 -A2-70 EN 1661	1	PC
290	7.306-044.0	Cylinder head screw M8x35 -8.8-A2E ISO4	1	PC
300	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	3	PC
310	7.304-387.0	Hexagonal head screw M 6x30-8.8-A2E ISO	2	PC
320	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	2	PC
400	8.635-722.0	Add-on kit Traktion für B40 RS	1	PC
410	8.636-429.0	Cable brake set	1	PC




400 Add-on kit Traktion für B40 RS (8.635-722.0)

POS	Article no.	Description	Quantity	Unit
10	8.634-232.0	Chain ISO 08B, 12.7MM PITCH	1	PC
20	8.634-228.0	SPROCKET, DRIVE 11T	1	PC




410 Cable brake set (8.636-429.0)

POS	Article no.	Description	Quantity	Unit
20	8.626-492.0	CABLE TIE, 7" UL/CSA	3	PC
30	8.636-204.0	TAPE CLOSED CELL 1/8 X 3/4 X 2 1/2 PSA	2	PC
40	8.600-283.0	Cable tie .375 X 24.7	1	PC
50	8.627-894.0	WASHER, 1/4 STL ZNPLT	1	PC
60	8.636-299.0	Cable brake - Lower Brake	1	PC
90	8.636-387.0	CLAMP, 5/8" OD CUSHIONED	1	PC



600 Battery quick-charge set II 36V/58Ah (2.642-555.0)

POS	Article no.	Description	Quantity	Unit
2	6.642-554.0	Battery 12V/58Ah	3	PC
3	7.777-999.0	Stockpiling discontinued	1	PC
4	6.642-564.0	Set fixing I, II, V, VI	3	PC
5	6.642-568.0	Set assembly II	1	PC




630 Battery charger complete B 40 RS

POS	Article no.	Description	Quantity	Unit
20	6.437-531.0	Bush 520895	2	PC
30	6.373-670.0	Pipe clamp	2	PC
40	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	5	PC
50	7.304-156.0	Hexagonal head screw M 8x25-10.9-A3E IS	2	PC
60	7.303-328.0	Screw M5x8 -St-flZn/nc480h/C (In6Rd)	7	PC
70	7.303-193.0	Saucer-head screw M 8x16-4.6-A0P DIN 60	5	PC
80	7.312-017.0	Washer 8-A2 ISO 7089	7	PC
90	8.625-940.0	WASHER, .51 THR	2	PC
100	4.062-059.0	Holder battery charger B 40 RS	1	PC
110	4.062-046.0	Sheet metal component	1	PC
120	5.062-535.0	Sheet metal component	1	PC
130	6.373-621.0	Clamp 15/12	5	PC
140	5.062-766.0	Holder plug battery charger	1	PC
150	8.633-591.0	KIT, KÄRCHER CHARGER SPE 36V 15A	1	PC
160	7.306-181.0	Screw M 5x 12-A2-70 (In6Rd)	1	PC
170	6.649-038.0	Cable tie 2,5x100	1	PC

140 Holder plug battery charger (5.062-766.0)

POS	Article no.	Description	Quantity	Unit
10	7.235-179.0	Sheet metal 3,0AS -S235JR EN 10029	1	kg




630 Battery charger complete B 40 RS

POS	Article no.	Description	Quantity	Unit
20	6.437-531.0	Bush 520895	2	PC
30	6.373-670.0	Pipe clamp	2	PC
40	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	5	PC
50	7.304-156.0	Hexagonal head screw M 8x25-10.9-A3E IS	2	PC
60	7.303-328.0	Screw M5x8 -St-fIzn/nc480h/C (In6Rd)	7	PC
70	7.303-193.0	Saucer-head screw M 8x16-4.6-A0P DIN 60	5	PC
80	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	7	PC
90	8.625-940.0	WASHER, .51 THR	2	PC
100	4.062-059.0	Holder battery charger B 40 RS	1	PC
110	4.062-046.0	Sheet metal component	1	PC
120	5.062-535.0	Sheet metal component	1	PC
130	6.373-621.0	Clamp 15/12	5	PC
140	5.062-766.0	Holder plug battery charger	1	PC
150	6.654-417.0	Battery charger onboard charger SPE 36V 12A	1	PC
160	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	1	PC
170	6.649-038.0	Cable tie 2,5x100	1	PC


140 Holder plug battery charger (5.062-766.0)

POS	Article no.	Description	Quantity	Unit
10	7.235-179.0	Sheet metal 3,0AS -S235JR EN 10029	1	kg



650 Add-on kit Traktion für B40 RS (8.635-722.0)

POS	Article no.	Description	Quantity	Unit
10	8.634-232.0	Chain ISO 08B, 12.7MM PITCH	1	PC
20	8.634-228.0	SPROCKET, DRIVE 11T	1	PC



660 Cable brake set (8.636-429.0)

POS	Article no.	Description	Quantity	Unit
20	8.626-492.0	CABLE TIE, 7" UL/CSA	3	PC
30	8.636-204.0	TAPE CLOSED CELL 1/8 X 3/4 X 2 1/2 PSA	2	PC
40	8.600-283.0	Cable tie .375 X 24.7	1	PC
50	8.627-894.0	WASHER, 1/4 STL ZNPLT	1	PC
60	8.636-299.0	Cable brake - Lower Brake	1	PC
90	8.636-387.0	CLAMP, 5/8" OD CUSHIONED	1	PC